



Web Images Video News Maps more »

"thermal printer" "spectral density"



Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 16 for "thermal printer" "spectral density" (0.08 seconds)

All Results

[A Malinverno](#)

[J Clarke](#)

[M Edwards](#)

[W Ryan](#)

[T Gamble](#)

[Remote-reference magnetotellurics: Equipment and procedures - all 2 versions »](#)

J Clarke, TD Gamble, WM Goubau, RH Koch, RF ... - Geophysical Prospecting, 1983 - Blackwell Synergy
... In a typical device (enclosed in a superconducting shield to eliminate external flux noise), the **spectral density** of the SQUID noise is white, with an rms ...

[Cited by 17](#) - [Related Articles](#) - [Web Search](#)

[Processing of SeaMARC swath sonar data - all 3 versions »](#)

A Malinverno, MH Edwards, WBF Ryan - Oceanic Engineering, IEEE Journal of, 1990 - ieeexplore.ieee.org
... Grey-scale images are printed in dithered patterns on a laser printer, in 16 shades of grey on a **thermal printer**, or in 256 shades on an inkjet printer; color ...

[Cited by 17](#) - [Related Articles](#) - [Web Search](#)

[Stencil printer - all 3 versions »](#)

M Ishitoya - US Patent 6,354,201, 2002 - Google Patents

... **SPECTRAL DENSITY** INPUT, 86 ... Aprinter, such as a **thermal printer**, a copying machine, a stencil printer and the like are known as an image forming apparatus which ...

[Related Articles](#) - [Web Search](#)

[Dye sets for thermal imaging having improved color gamut - all 2 versions »](#)

S Evans, DJ Harrison, E McInerney, KE Spaulding, H ... - US Patent 5,795,844, 1998 - Google Patents

... These signals are then transmitted to a **thermal printer**. ... The color gamut of the imaging system is controlled primarily by the **spectral density** distributions of ...

[Related Articles](#) - [Web Search](#)

[Scanning multichannel analyzer of the spatial distribution of the radiation power of a technological ...](#)

OR Badrutdinov, RM Rakhimov, MK Salakhov - Measurement Techniques, 1989 - Springer

... is printed out, by command from the computer, by a **thermal printer** TP in ... In this case the covariational function or the **spectral density** of the distributions ...

[Related Articles](#) - [Web Search](#)

[Modeling method for taking into account thermal head and ambient temperature - all 2 versions »](#)

D Verdyck - 2004 - freepatentsonline.com

... having a given colour **spectral density**, to be reproduced on said thermographic material (10). 19. A control unit for use with a **thermal printer** for printing an ...

[Cached](#) - [Web Search](#)

[CONTEMPORARY AND PRACTICAL NEUROOTOLOGY](#)

OFOO RESPONSES - swin.edu.au

... Figure 8 uses a traditional approach termed the power **spectral density** ... coordinates) was then printed onto the data surface using a **thermal printer** (Casio CW-50 ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Method and apparatus for adapting an electrostatic copier machine to a plain paper facsimile ... - all 3 versions »](#)

P Baran - US Patent 5,097,350, 1992 - Google Patents

... there are plain paper facsimile machines in the marketplace, they carry a price tag that 20 is at least four times the price of a **thermal printer** fac-simile ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

[Method and apparatus for producing halftone images using green-noise masks having adjustable ... - all 3 versions »](#)

GR Arce, DL Lau - US Patent 6,493,112, 2002 - Google Patents

Page 1. United States Patent Arce et al. (54) METHOD AND APPARATUS FOR PRODUCING HALFTONE IMAGES USING GREEN-NOISE MASKS HAVING ADJUSTABLE COARSENESS ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

[Development of a MHz RF leak detector technique for aircraft hardness surveillance - all 3](#)


[versions »](#)

LO Hoeff, TM Salas, JS Hofstra, WD Prather - Electromagnetic Compatibility, 1988. Symposium Record. IEEE ..., 1988 - ieeexplore.ieee.org

... illumination facilities excite the entire aircraft with a high **spectral density**

CW signal ... disk and allowed plots of the data to be dumped to a **thermal printer**. ...

Web Search

Google 

Result Page: 1 [2](#) [Next](#)

"thermal printer" "spectral density"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"thermal printer" "spectral density"

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles - Recent articles Results 11 - 16 of 16 for "thermal printer" "spectral density" . (0.07 seconds)

All Results

[A Malinverno](#)
[J Clarke](#)
[M Edwards](#)
[W Ryan](#)
[T Gamble](#)

[Experimental Study of Bypass Transition in a Boundary Layer](#)

C Ohio, O Cleveland - ntrs.nasa.gov
 ... Friction velocity. Local velocity in the streamwise direction. Power **spectral density** (V2 / Hz). ... Wall shear stress. Power **spectral density**, _o = _w). ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Method, device, system and recording medium fordetecting impropert cartridge, and cartridge](#)

Y Ito, K Okoyama, T Watanabe - 2004 - freepatentsonline.com
 ... If in a **thermal printer**, the expendable material is ink ribbon. ... material, a characteristic of the ink may be resistance, viscosity, **spectral density** or the ...
[Cached](#) - [Web Search](#)

[Advanced Digital Signal Analyzer Probes Low-Frequency Signals with Ease and Precision](#)

RH Grote, HW McKinney, HP engineers used a Model, ... - hparchive.com
 ... The auto spectrum is calibrated in units of mean square for sinusoidal signals , power **spectral density** for random signals, or energy density for transient ...
[View as HTML](#) - [Web Search](#)

[Method, device, system and recording medium for detecting improper cartridge, and cartridge - all 6 versions »](#)

Y Ito, K Okoyama, T Watanabe - US Patent 6,987,933, 2006 - Google Patents
 Page 1. United States Patent Ito et al. (54) METHOD, DEVICE, SYSTEM AND RECORDING MEDIUM FOR DETECTING IMPROPER CARTRIDGE, AND CARTRIDGE ...
[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[Method, device, system and recording medium for detecting improper cartridge, and cartridge](#)

K Code, Y Ito, K Okoyama, T Watanabe, VP Images, P ... - freepatentsonline.com
 ... toner. If in an ink jet printer, the expendable material is ink. If in a **thermal printer**, the expendable material is ink ribbon. [0005 ...
[Cached](#) - [Web Search](#)

[\[book\] Realtime Algorithmic Music Systems From Fractals and Chaotic Functions: Toward an Active Musical ... - all 4 versions »](#)

RH Chapel - 2003 - hinojosachapel.com
 ... switches, and a number of output devices (14 digital-to-analog converters used for control voltages, 36 computer controlled relays, a **thermal printer**, and 2 ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#)

"thermal printer" "spectral density"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google